



This Document is the property of AML Communications, Inc. The information contained in this Document shall not be reproduced, copied, released or made available to any third parties without prior written authorization. Utilizing information contained in this Document for manufacture or sale of products without prior written authorization is strictly prohibited.

REVISIONS				
ECD#	REV	DESCRIPTION	DATE	APPROVED
	-	PRODUCTION RELEASE	9/06/02	M. CALAYAN
10657	A	ADD CLEAR COAT CALLOUT	6/24/04	M. CALAYAN



- NOTES:
1. MARK LABEL (003-0231) AS SHOWN. MARK SERIAL NUMBER, DATE CODE AND MODEL NUMBER AS PER TRAVELER.
 2. APPLY CLEAR COAT TO WELD.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMALS ANGLES .XX ± 0.01 ± 5° .XXX ± 0.005	THIRD ANGLE PROJECTION	DRAWN BY TNA	CHECK BY SH	TITLE: OUTLINE, MODIFIED, CATALOG (K4)	SCALE: 2X	DATE: 9/5/02	BOM NUMBER
		DESIGNED BY SH	APPROVED				
MATERIAL ALUM ALLOY 6061 AND 4047		ENGR		GENERAL FABRICATION NOTES: (UNLESS OTHERWISE NOTED) 1. REMOVE ALL BURRS AND BREAK SHARP EDGES. 2. DIMENSIONS APPLY AFTER FINISH. 3. ALL BENDS TO BE 90°. 4. 63 MAX. MACHINE FINISH.	SHEET NUMBER 1 OF 1		SIZE B
FINISH ELECTROLESS Ni MIL-C-26074C 0.0003/0.0005 THICK,		MFG ENGR	DA		DRAWING NUMBER 002-0216		REV A
DO NOT SCALE DRAWING		RELEASED BY:		GENERAL ASSEMBLY NOTES: (UNLESS OTHERWISE NOTED) 1. ASSEMBLE AS PER WORKMANSHIP REQUIREMENTS OF IPC-A-610, CLASS 2			

